



KZ1156

Specific rear rack for MONOKEY® or MONOLOCK® top-case

to be combined with the MONOKEY® KM5, KM7, KM8A, KM8B, KM9A or KM9B plate, or with the MONOLOCK® KM5M or KM6M plate / if combined with KM8A, KM8B, KM9A, KM9B it does not allow the assembly of the stop light kit or the remote control device on the case / maximum load allowed 6 kg



KR1156

Specific rear rack for MONOLOCK® or MONOKEY® top-case

to be combined with the MONOKEY® KM5, KM7, KM8A, KM8B, KM9A or KM9B plate, or with the MONOLOCK® KM5M or KM6M plate / if combined with KM8A, KM8B, KM9A, KM9B it does not allow the assembly of the stop light kit or the remote control device on the case / it can only be mounted on the original rack, offered as an option by the manufacturer



KL1156

Specific pannier holder for MONOKEY® or RETRO FIT side-cases

it can be mounted only with the specific rear rack KZ1156



KL1158

Specific pannier holder for MONOKEY® or RETRO FIT side-cases

it can only be mounted on the original rear rack, offered as an option by the manufacturer / it cannot be mounted with the specific rear rack KZ1156



KTL1156KIT

Specific kit to install the KS250 Tool Box on KL1156, KL1158

to be combined with KS250 and KL1156 or KL1158 / needs to be mounted on the left-hand side of the motorcycle



KD1156ST

Specific screen, transparent 65 x 40 cm (H x W)

to be mounted instead of the original screen / to ensure total rotation of the handlebar, the windshield cannot be set to either the lowest or the highest settings. It can only be set to the three intermediate settings / 13 cm higher than the original





KN1156

Specific engine guard, black

25 mm diameter steel tube / we recommend fitting by a qualified mechanic



KPR1156

Stainless steel specific radiator guard black painted



KMG1156

Specific ABS mudguard, black colour

RM1156KITK

Specific kit to install the spray guard KRM02





KHP1144

Specific hands protector in ABS

to be mounted instead of the original hands protector

ES1156K

Specific support in aluminium and stainless steel to widen the surface support area of the original side stand

